AUTHOR INDEX

Backus, E. J., 141
Brock, Thomas D., 281

Campbell, L. Leon, 139

Davis, Diana H., 375
Doudoroff, Michael, 375
Durand, D. P., 250, 252

Evans, James H., 159
Ewing, W. H., 1

Garvie, Ellen I., 283
Georg, Lucille K., 267, 291
Gergencser, Mary Ann, 291
Gilardi, Gerald L., 167
Gottlieb, David, 391

Hartman, Paul A., 251, 254, 256
Hatt, H. D., 57, 309
Hayes, Jean A., 141
Heise, Helen, 173
Henriksen, S. D., 165, 263
Hirschl, Simon, 167

Jeffries, Leonard, 183
Johnson, Roy M., 295
Joya, Martha A., 273

Leifson, Einar, 127
Lessel, Erwin F., 257

Mandel, Manley, 127, 375
Maré, C. J., 253
Mollaret, H. H., 157

Ochi, Yuichi, 3

Pfennig, Norbert, 153, 155
Pine, Leo, 267, 291
Postgate, J. R., 139
Prévot, A. R., 119

Reid, J. D., 273

Schubert, Ralph, 189
Schultes, L. M., 159
Seeliger, H., 189
Shirling, Elwood B., 391
Stanier, Roger T., 375
Starr, Mortimer P., 173

Tresner, H. D., 131
Trüper, Hans G., 153, 155

Wayne, Lawrence G., 257
Weisrock, William P., 295

Zvirbulis, Elza, 57, 309

SUBJECT INDEX

Acetobacter
- aceti var. agile, 58
- aceti var. albuminosum, 58
- aceti var. friabile, 58
- aceti var. industrium, 58
- aceti var. pasteurianum, 58
- aceti var. plicatum, 58
- aceti var. rancens, 58
- acetosum var. tanezu, 58
- acidi oxalici, 58
- albidus, 58
- albuminosum, 58
- ascendens var. tanezu, 58
- aurantium, 58
- aurantium α, 58
- aurantium β, 58
- bordeaux, 58
- cerinus, 58
- cerinus var. ammoniacus, 58

Acetobacter (cont.)
- cerinus var. rosiensis, 58
- dihydroacetonicum, 59
- dioxyacetonicum, 59
- dioxyacetonicum var. pectinatum, 59
- dioxyacetonicus, 59
- friabile, 59
- intermedius, 59
- rancens var. celiae, 59
- var. muciparum, 59
- var. zythi, 59
- rubiginosis, 60
- suboxydans, 255
- suboxydans var. α, 60
- transcapsulatum, 60
- xylinoides var. tanezu, 60
- xylinum, 255

Acetobacteriеae, 60

Actobacter
ketogenum, 59
melanogenum
var. hoshigaki, 59
var. orleanense, 59
var. zeidleri, 59
mesoxydans var. vini, 59
mesoxydans vini, 59
mucosum, 59
nonoxygluconicum, 59
operans, 59
pasteurianum
var. agile, 59
var. colorium, 59
var. variabile, 59
rancens var. agile, 59
Achromobacter
fischeri, 135
georgiopolitanum, 310
halestorgus, 60
immovilis, 60
lwoffi var. glycidolytica, 60
mariense, 60
Achroonema
angustum, 60
articulatum, 60
gotlandicum, 60
inaeguale, 60
lentum, 60
macromeres, 60
profundum, 310
proteiforme, 60
simplex, 60
splendens, 60
splendens fa. tenuior, 60
sporogenum, 60
Acinetobacter
candicans, 60
parvulus, 60
pfaffi, 60
viscolactis, 60
Actinobacterium
ericksonii, 60
genitalis, 61
israeli, 61
Actinobifida alba, 310
Actinomyces
afghaniensis, 61
agglomeratus, 61
albido-flavus, 397
albido-fuscus, 61
albohelvatus, 61, 399, 400
alboviridis, 401
Actinomyces (cont.)
albus, 401
var. bruneomycini, 61
var. fungatus, 61
subsp. odorifer, 61
almquisti, 403
amacusaensis, 61
ansochromogenes, 61
var. pallens, 61
anthocyanicus, 61
antibioticus oleandomycini, 61
aquatilis, 61
aromaticus, 61
ashchabadicus, 61
atrocyaneus, 61
atrolaccus, 61
atroolivaceus
var. mutomycini, 61
aurantiacus, 404, 405
aurantiacogriseus, 61
aureofaciculatus, 61, 405
aureofasciculus, 62, 406, 408
aureofaciens
var. oxytetracyclini, 61
aureomonopodiales, 62, 407, 408
aureoversales, 407, 408
aurigineus, 62, 409, 411
azureus, 310
bambergiensis, 62
bellus, 62
bluensis var. bluensis, 62
bovis, 267, 268, 269
var. almuisti, 62
var. anaerobies, 62
var. catarrhalis, 62
var. cruoris, 62
var. discofoliatus, 62
var. forsteri, 62
var. foulertoni, 62
var. londinensis, 62
var. mexicanus, 62
var. minimus, 62
var. pijperi, 62
var. pulmonalis, 62
var. thjoettae, 62
buchanan, 310
caelestis, 62
caesius, 62
candidus
var. citreus, 62
var. griseolus, 63
carcinomycicus, 310
carnosus, 412

Actinomyces (cont.)
castaneoglobisporus, 63
cellulitis, 63
cellulosae, 414
chartreusis, 63
chinensis, 310
chlorobiens, 63
chromogenes
var. olivochromogenes, 63
chromogenus, 63
chryseus, 63
cinnabarinus, 416
circulatus var. monomycini, 63
citreus, 416
citromicelloides, 63
coelescens, 63
coeliatus, 63, 418
coelicolor
subsp. coelicoferus, 63
subsp. coelicolatus, 63
subsp. coelicovarians, 63
coerulatus, 63, 418, 419
coerulatus
var. amylolyticus, 63
var. anaseuli, 63
coeruleofuscus
var. actinomycini, 63
coeruleoroseus, 63
craterifer, 421
cretaceus var. intermedius, 63
curacol, 63
cyaneogriseus, 64
cyanocolor, 64, 421, 424
cyanoflavus, 64
cyanogenus, 64, 423, 424
cyanoglomerus, 64, 425, 426
var. cellulose, 64
var. lactis, 64
var. liquefaciens, 64
cylindrosporus var. atratus, 64
discofoliatus, 291
ericksonii, 64, 269
erythreus var. speleomycini, 310
filipiensis, 310
fimicarius, 425
flavescens, 64, 427, 428
flavidovirens, 429, 430
flavofungini, 310
flavogriseus, 429, 430
flavomacrosporus, 64
flavovariabilis, 64
flavus
var. flavochromogenes, 64
var. sulfureus, 64

Actinomyces (cont.)
flocculus, 431
fumanus, 431
galilaeus, 310
gedanensis
var. necrophorus, 64
ghanaensis, 64
glaucosporus, 64
globisporus
var. bikiniensis, 64
var. flavus, 64
var. roseus, 64
glomeroaurantiacus, 65
glamerochromogenes, 65
gougeroti, 433
griseoflavus, 433
griseoaurantiacus, 65
griseoloalbus, 436, 437
griseoloviolaceus, 65
griseolus var. flavescens, 65
griseorubiginosus, 438, 439
griseovariabilis, 65
griseus var. difficilis, 65
subsp. macrosporus, 65
subsp. segmentosus, 65
halvaticus, 65
heimi, 438, 439
herbescens, 65
herbeus, 65
herbiferis, 65
hiroshimensis, 310
incarnatus, 310
var. atropurpureus, 310
indocolor, 65
intermedius, 440
inversochromogenes, 65
iodoformicus, 65
ipomaea, 442
israeli, 65, 267, 268, 269
kanamyceticus, 310
keratolytica, 65
kitazawaensis, 310
krainskii, 444, 445
lactis, 65
lanfranchii, 65
lavendofoliae, 311
lavendulae
subsp. avireus, 311
var. brasilicus, 311
var. chromogenes, 65
subsp. grasserius, 311
var. viridis, 65
lavendularectus, 65
lavendulocolor, 311

Actinomyces (cont.)
lazureus, 66
levis, 66
lilacinofulvus, 66
lilacinus, 66
lividans, 66
longoechinatus, 311
longissimus, 447
luchnensis, 311
luteolutescens, 66
machagiensis, 66
macrosporus, 66
malachitus var. rectus, 311
malachitofuscus, 66, 450, 451
malachitorectus, 66, 450-453
mariensis, 311
mauvecolor, 311
megasporus, 66
melanogenes, 311
melanosporeus, 454
melanosporofaciens, 453
mellaceus, 66
micropolyspora, 311
microflavus, 399, 454
microsporus, 66
mutabilis var. tiostreptoni, 311
naeslundii, 267, 268, 292
nigar var. aromaticus, 66
nigrogriseolus, 66
odontolyticus, 66, 269
olivaceoviridis, 458, 459
olivarius, 66
olivochromogenus, 458, 461
olivoreticuli, 311
pactum var. pactum, 311
pallidoviolaceus, 66
penicilloides, 66
phaeoverticillatus, 311
pluricolorescens, 311
polychromogenes, 66
praecox, 466
primycini, 312, 466
propionica, 268
propionicus, 267, 268, 269, 270, 271
prunicolor, 468, 469
pseudolavendulae, 312
pseudovenezuelae, 312
raffinosus, 66
rangoon, 472
rectiverticillatus, 66, 472, 473
rectiviolaceus, 66
reticulus-ruber, 477
ribeyro, 67
rimosus, 312
roseochromogenus, 464, 475
roseoflavus
var. roseofungini, 312
roseofulvus
var. tauricus, 312
roseogriseolus, 67
roseogriseus, 67
roseolus, 67
roseoviolaceus, 474, 476, 477
roseus, 474
ruber var. ferrugineus, 67
var. sterilis ruber, 67
rubro-cyaneus, 67
rubrolavendulae, 67
rubroverticillatus, 67
rutilans, 67
sampsonii, 480
scabies var. anglica, 67
sendaiensis, 67
spheroides, 312
spinosus, 67
streptomycini, 67
subcaucasicus, 67
subtropicus, 67
suis, 67
sulfureus lacertae-sylvodoriferus, 67
syringae, 312
tauricus, 312
tenuis var. chromogenes, 67
thermocoelicolor, 68
thermotolerans, 483
toxicus, 68
tschirschke A, 68
tschirschke B, 68
umbrinus, 486, 487
umbrosus, 487
urethridis, 312
valvulae, 68
valvularis, 68
valynus, 68
varsoviensis, 488, 489
verne, 493
verrucosus, 68
vinaceus, 493
violaceochromogenes 494, 500
violaceoniger
var. crystallomycini, 68
violaceolatus, 68, 496
violaceus, 494, 497
var. coelicolor, 68
subsp. chromogenes, 494

Actinomyces (cont.)
violaceorectus, 497
violarus, 499
violaceus
var. coelicolor, 68
var. violaceo-ruber
violochromogenes, 68
viradaris, 68, 501
viridifuscus, 68
virido-diastaticus, 68, 500, 501
virocidus, 312
viscosus, 68, 268, 291
vulgaris, 502, 503
Actinomycetaceae, 268
Acuformis
angulosus, 68
innocuus, 68
Aerobacillus
brevis, 68
guttatus, 68
oleae, 69
pseudotetanicus, 69
Aerobacter
aerogenes var. aerogenoides, 312
alginolyticus, 312
coli var. infusionum, 69
(Hafnia) aerogenoides, 69
(Hafnia) alvei, 69
levanicum, 69
mannanolyticus, 312
mucosum var. pneumoniae, 312
tartarivorum, 69
viscosum, 69
Aerobacteriodeae, 69, 312
Aerococcus viridans, 159, 162
Aerogenes, 69
Aeromonas, 127
hydrophila, 140
salmonicida
subsp. acrhomogenes, 69
shigelloides, 130
Aerophilum, 69
Aerugomonas, 69
Agrobacterium, 135
polyspheriodum, 312
spp., 312
Aktinomyces alni, 69
Albococcus rhenanus, 69
Alcaligenes, 69, 127
faecalis var. myxogenes, 312
giganteus, 69
odorans, 170
var. viridans, 167, 168, 170, 171
Alginomonas gelatica, 69
Alkaligenes, 69
Amoebobacter bacillosus, 69
Amylobakter, 69
Anabaeniolum, 69
brumpti, 70
grande, 70
intermedium, 70
langeroni, 70
longum, 70
minus, 70
viscaciae, 70
Ancalomicrobium adetum, 70
Angiobacteriales, 70
Animikiea septata, 70
Anthrax, 70
Aplanobacter
fleuryi, 70
nicholsi, 313
robici, 70
Aplanobacterium, 70
Archaeorestis schreiberensis, 70
Archaeotrichion contortum, 313
Archangium violaceum, 70
Archnia propionica, 267, 268, 270
Arizona arizonae, 1
Arthrobacter nicotinoverum, 70
Astasia, 71
Asteroides
granulosus, 313
mucosus, 313
pseudocarneus, 313
Asticcacaulis excentricus, 135
Aurococcus tropicus, 71
Azotobacter
chroococcum
var. beijerinckii, 71
var. woodstownii, 71
galophilum, 71
paspali, 313
rhizobius, 71
unicapsulare, 71
vinelandii
var. hilgardii, 71
var. smyrnii, 71
Azotobacterium, 71

Bacillineae, 82
Bacillus
aerobicus sepis, 313
aerobius sepis, 313
agarlyticus, 71
aminoglucosidicus, 313
amyloliguifaciens, 72

Bacillus (cont.)
amylobacter, 72
amyloliguifaciens α, β, 72
anaerobius alcaligenes, 313
apidarium, 72
arce, 72
argenteo-phosphorecens, 72
argentinensis, 72
arietinae chodatti, 72
asterosporus
var. dentatus, 72
var. spinosporus, 72
azotophagus ramificatus, 72
baloenae, 72
bellis, 72
bisenziensis, 72
brunigenus putrefaciens, 72
budapestiensis α, β, 72
butyricus-iodophilus, 72
cacosmus, 72
calmettei, 72
caloritolerans, 72
canabis, 72
capsulatus roseus, 73
carbo, 73
cascainensis, 73
cellulolyticus, 73
cellobioparus, 73
cellulomonas, 73
cellulosae, 73
centrosporus
var. laterosporus, 73
var. ruminatus, 73
cerasinus, 73
cereus var. galleriae, 73
chamaeleon, 73
circulans
var. agrophilus, 73
var. rufenscens, 73
var. serrulatus, 73
cirrosus, 73
coccoideus
var. pseudococcus, 73
colletus, 73
collini, 73
commiformis, 73
corallinus, 73
corchorus, 73
cystaseus var. amylolyticus, 73
dichromogenes, 73
dissolvens, 73
ehrenbergii, 73
entomocidus var. subtoxicus, 74

Bacillus (cont.)
epilepticus, 74
europaea, 74
exilis, 74
fabae, 74
farcini bovis, 74
farinae seminis lini I, 74
felsineus var. thermophilus, 74
fetuum, 74
finitimus, 74
var. finitimus, 74
var. fowleri, 74
flacheriae, 74
flavidus
var. nitidus, 74
var. supraresistans, 74
fluorescens capsulatus, 74
fructosus, 313
fruticosus, 74
gallicus, 74
gastromycosis ovis, 75
gintotensis, 74
globisporus, 75
gonatoides, 75
gossypii I, 75
gracilesporus, 75
granulosus var. acidophilus, 75
gravidus, 75
hemiphloiae, 75
ileotyphi, 75
ilidzense, 75
ilidzensis mobilis, 75
incertus, 75
insolitus, 75
irritans, 75
janthinus var. butyricus, 75
jovoini, 75
kaukasicus, 75
lacmus, 75
lactis innocuus, 75
laevolacticus, 75
laewaniformis, 76
lignipestis, 76
lignorum
var. acidifaciens, 76
var. xylophagus, 76
linimus, 76
liquefaciens vulgaris, 76
mahogan, 76
malabarensis
var. adametzii, 76
mannitopoeum, 76
margarittaceus, 76

Bacillus (cont.)
maroccanus, 313
megatherium
var. pansini, 76
var. tomentosus, 76
var. tumescens, 76
mesentericus
var. graveolens, 76
var. mesentericus, 76
var. pumilis, 76
var. teres, 76
metatyphi, 76
molestus, 76
monachae, 76
mucosus
var. orae, 77
var. rarus, 77
mycophagus cuniculi, 77
new jersey, 77
var. lipman, 77
nitrosus, 77
omelianskii, 77
ornithopi, 77
orpheus, 77
ovis, 77
oxyphilus, 77
pacificus, 313
palustris var. gelaticus, 77
paratuberculosis bovis, 77
partum, 77
pasteurii var. lentus, 77
penicillus, 313
pilluliformans, 77
piscicidus, 77
plagarus, 77
pleuropneumoniae
contagiosae, 77
equi, 78
plumbeus, 78
pneumosepticus, 78
populi, 78
proteisimile, 313
proteisimile, B, C, 314
pseudodysentericus, 78
pseudoperfringens, 78
pseudotetanus, 314
radicicola
var. pisi, 79
var. trifoliorum, 79
rectale, 79
repens var. indifferens, 79
rodelli, 79

Bacillus (cont.)
rosarum, 79
rubroluteus, 79
rusticus
var. barbatus, 79
var. rugulosus, 79
var. spissus, 79
saccharalis, 79
saccarobutyricus liquefaciens, 79
salinus, 79
salpae, 79
sardiniensis, 79
sartagoformus, 79
sempervivus, 79
sextum, 79
siliceus, 314
similcarbonchio, 314
similtubercolari, 314
simplex var. lactis, 79
sotto var. pailloti, 79
sphaericus
var. pseudotetanicus, 79
sporogenes, 314
spumarum, 79
stellatus, 80
submergens, 80
subtilis
var. amyloliquefaciens, 80
var. galleriae, 80
var. ramie, 80
var. thermophilus, 314
morphotype globigii, 314
subviscosus, 80
sulfhydricus, 80
teres var. antibioticus, 314
thermicus, 80
thermoacidophilus, 80
thermophilus anaerobicus, 80
thermophilus jivoini, 80
thermoputrificus, 80
thermophilus jovoini, 80
thuringiensis, 80
var. alzawai, 80
var. amuscatoxicus, 80
var. angastae, 80
var. berliner, 80
var. darmstadiensis, 314
4b. dendrolimus, 80
var. entomocidus, 81
(ser.) 6 entomocidus, 81
var. euxoae, 81
(ser.) 2 ginitimus, 81
var. galleriae, 81

Bacillus (cont.)
(ser.) kenyae, 81
(ser.) 8 mossisoni, 81
var. pacificus, 81
(ser.) 4a sotto, 81
(ser.) 6 subtoxicus, 81
var. subtoxicus, 81
tifosimili, 314
tropidonatus, 81
ureolysitus, 81
valerianicus, 81
valericus, 81
vermiculoides, 81
violaceus, 81
diffusus, 81
viridis septicus, 81
viscosus odoraceus, 81
vranjensis, 82
vulgaris, 82
welchii, 82
Bacteridies, 82
Bacteridium, 82
fulminans, 82
funicularis, 82
lentimorbus, 82
panis, 82
thermophilum, 82
Bacteries, 82
Bacterionema, 268
Bacteriophyta, 82
Bacterium
aceris, 82
aceti var. agile, 82
acidi lactici, 82
lactici vini, 82
acridiorum, 82
adipis, 82
aerogenes subsp. lacertae, 314
agaricum, 82
agarogenes, 83
agile var. stutzeri, 83
agilis apis, 83
agrotidis typhoides, 83
albo-luteum, 83
alcaliaromaticum, 170
alkalofoetidum, 83
alliicola, 83
aminovorans, 83
aminovorans 6, 83
albus putidus, 83
aphidinum, 83
apisepticum, 83
apivorum, 83

Bacterium (cont.)
asiaticum-mobile, 83
azotobacter chroococcum, 83
barbareae, 83
barbone, 83
berolinense, 83
bisenziense, 83
bonasse, 83
brunigenum putrefaciens, 84
bufo, 84
cajae, 84
calco-aceticum, 84
canariense, 84
capsulatum
misothermum, 84
proteideum, 84
carnegieanum, 84
caryophilii, 84
celonense A, B, 84
chordale, 84
chlorometamorphicum, 84
chlorophyllophorum, 84
chylogenum, 84
cissicola, 84
citrovorum, 84
cloacae var. insecticolens, 84
coli
var. alactosum, 84
var. galactophilum, 84
var. infusionum, 84
var. neapolitanum, 84
lacertae, 314
virulentum, 85
colifoetidum, 85
communis, 85
conglobatum, 85
coronatum, 85
corrosivum, 85
corylinum, 85
costatum, 85
cruciviae, 85
cumini, 85
cuniculosepticum, 85
cyaneum, 85
cyaneus, 85
cyanicola, 85
cycloclastes var. jophagum, 85
cystinovorum, 85
cytaseum, 85
cytolyticum, 85
desaiana, 85
desmolyticum, 85
dessicans, 86

Bacterium (cont.)
dioxyacetonicum, 86
diversum, 86
ehrenbergii, 86
elbvibrionen, 86
empyematos cuniculi, 86
enteritidis
var. biegdam, 86
var. chaco, 86
var. dublin, 86
equirulis, 86
erysipelatis-suis, 86
esseyanum, 314
esterificans, 86
fabae, 86
faecalis-alkaligenes
var. radicans, 86
fallax, 86
fimbriatum, 86
flavum, 86, 87
fleuryi, 87
florescens
crassus, 87
forma A liquefaciens, 87
forma B nonliquefaciens, 87
nonliquefaciens, 87
ozaenae, 87
formicum, 87
gallinarum var. duisburg, 87
gardiniae, 87
gibsoni, 87
gintottensis, 87
granulomatis, 87
haemoglobinophilus-canis, 87
incanae, 87
inconstans, 87
indicum-rubrum, 87
indoloxidans, 87
influenzae cuniculi, 87
insecticola, 88
insectorum
var. malacosomae, 88
insidiosum
var. saprophyticum, 88
iris, 88
johne, 88
lactis acidi
acerbum, 88
aromaticum, 88
maltigenum, 88
purum, 88
lacunatum, 88
lapsum, 88
leptinotarse, 88

Bacterium (cont.)
lespedezae, 88
lieberti, 88
liquefaciens
var. delicatulum, 88
var. dendriticum, 88
var. formosum, 88
var. gasoformans, 88
var. healii, 88
var. lipolyticum, 88
margarittaceum, 89
melolonthae, 89
liquefaciens, 89
methanicum, 89
michiganense
var. saprophyticum, 89
monachaevon, 89
mucosum friedlanderi, 89
neapolitanum, 89
neapolitanus, 89
nimipressuralis, 89
nitrosovorum, 89
nitrosum, 89
noctuarum, 89
oedematium, 89
oleraceae, 89
omnivorum, 89
orchitidis, 89
orpheus, 89
ovoideum, 90
para-abortus, 90
paracoli, 314
paracoli A, B, C, 315
paracoli I, II, III, IV, 315
anindolicum, 90
aglagopex, 90
anaerogenes, 90
paragruenthali, 90
paramelitense, 90
parasiticum, 90
paratyphi alvei, 90
paratyphosum-alvei, 90
passiflorae, 90
pastinator, 90
var. alginicum, 90
var. alginovorum, 90
pectinophorae, 90
pestis astaci, 315
photuris, 90
pictorum, 90
piluliformans, 90
piscicida, 90
piscium pyogenes, 90

Bacterium (cont.)
pityocampae, 91
plantaginis, 91
pleuropneumoniae
cuniculi, 91
equi, 91
pneumoniae caviarum, 91
pneumosepticum, 91
pollaci, 91
polychromicum, 91
polygoni, 91
potens, 91
preisii, 315
proteus X2, X19, 91
proteus-pseudovaleriae, 91
proteus-zenkeri, 91
pseudotuberculare
orchitophlogogenes, 91
purpurae, 91
pyogenes
fischeri, 92
ramesum, 92
radicicola, 92
ramigerum, 92
ramosum, 92
rathonis, 92
reducans, 92
robici, 92
rossicum, 92
ruber balticus, 92
rubidaeum, 92
rubricum, 92
rufum, 92
saccharolyte, 92
saccharolyticum, 92
salmonella, 92
salmonella pestis, 92
saponificans, 92
septicaemiae
mucogenae hominis, 92
septicum, 92
sieberti, 93
smegmae, 93
solani, 93
solaniolens, 93
sphingidie, 93
sphingidis, 93
sulcatum, 93
tardum, 93
terrestre, 93
thermophilum forma
Coccobacterium
thermophilum, 93

Bacterium (cont.)
trabuti, 93
tracheiphilum var. cucumis, 93
turanicum, 93
triloculare, 93
typhi atypicum α, β, 93
flavum, 93
spermophilorum, 93
typhusmurium
var. binns, 93
var. copenhagen, 93
vermiculoides, 94
violaceous sacchari, 94
viridis pallescens, 94
viscosum var. dissimilis, 94
viscosum odoraceum, 94
vitivorum, 94
volutans, 94
xenopum, 94
xylinoides var. tanezu, 94
zenkeri, 94
znaemiense, 94
zoogloeae ramigerae, 94
Bacteroides
corrodens, 165
limosus, 94
thermophilus, 94
thermophilus A, B, C, 94
thermophilus anaerobicus, 94
streptobacilliformis, 94
Bactridium, 124
Baculogenae, 94
Balkenella carolinoides, 94
Batat-Lactobacillus, 94
Beggiatoa arctoalpina, 95
Beijerinckia macrocytogenes, 95
Betabacterium
bucyneri, 315
pentoaceticum, 95
Betacoccus
cremoris, 283, 284, 288, 289
Beta-Lactobactillus, 95
Bifidobacterium 268
bifidum var. pennsylvanicus, 95
Biocatenoides
rhabdos, 315
sphaerula, 315
Bordetella bronchicanis, 95
Borrelia
merionesi, 95
microti, 95
myelophthora, 95
parkeri var. hastingsi, 95

Botulinoidae, 95
Botulinus, 95
Brachyarcus thiophilus, 95
Brevibactereae, 95
Brevibacterium
  alanicum, 315
  aminogenes, 315
  chromogenes, 315
  frigoritolerans, 315
  halotolerans, 315
  persicum, 315
  immariophilum, 95
  lactofermentum, 95
  roseum, 95
  saccharolyticum, 95
Brucella
  brucei
    var. ovis australasiae, 95
  canis, 315
  cocciformis, 96
  melitensis
    f. sp. bovis, 96
    f. sp. caprae, 96
    var. karakul, 96
    f. sp. ovis australia, 96
    f. sp. suis, 96
  ovis, 96
  rangiferi tarandi, 96
Butyl-Bacillus, 96
Butyribacterium
  limosum, 96
  rettgeri, 96
Butyrivibrio, 96

Caduceus cellulosae hydrogenicus
  var. cellulosae methanicus, 316
Calamobotryoeidales, 316
Calymmatobacterium, 316
Carboxydomonas, 316
Caryobacterium equi, 316
Caseococcus acidoproteolyticus, 316
Castellanus
  bentotensis
    var. bentotensoides, 316
  castellani
    var. krusecastellanii, 316
    var. metadysentericus, 316
  gintotensis, 316
Catenabacterium
  rotans, 316
  saburreum, 316
Caulobacter
  maris, 135
  vibriodes, 136
Caulococcus manganifer, 317
Cellulobacillus, 317
Cellulomonas, 317
Cellvibrio
  polyoltrophicus, 317
  violacea, 317
Cenomesia
  albida, 317
  lilacina, 317
Centrosporineae, 317
Centrosporus, 317
Chainia
  aurea, 317
  flava, 317
  fumigata, 317
  minutisclerotica, 317
  olivacea, 317
  olivaceus, 317
  poonensis, 317
  purpurogena, 317
  rosea, 318
Chauvoea, 318
Chlamydia psittaci, 318
Chlamydobacterinae, 318
Chlamydozoa, 318
Chlorobium
  ethylicum, 318
  phaeobacteroides, 318
  vibrioformis, 318
  phaeovibrioides, 318
Chlorochromatium
  glebulum, 318
  symbioticum, 318
Chloropseudomonas ethylicum, 153
Chondromyces frutescens, 318
Chorynebacterium, 318
Chromatiopsis major, 318
Chromatium
  buderi, 318
  fallax, 318
  gliscens, 318
Chromobacterium
  agarlyticum, 318
  amocontactum, 319
  amylorubrum, 319
  ananas, 319
  anolium, 319
  aromaticum, 319
  bauri, 319
  cassavae, 319
  chitinochroma, 319
  chocolatum type orangé, 319
  chocolatum type violet, 319

Chromobacterium (cont.)
citricum
var. flavoviridum, 319
var. grani, 319
cytolyticum, 319
erivanense, 319
flavidum, 319
fuchsinum, 319
janthinum
subsp. anitritum, 319
subsp. purpureum, 319
lathyri, 319
laurentium, 319
lentulum, 319
lividum
subsp. lividum, 320
subsp. mesophilum, 320
manganicum, 320
manilae, 320
marinum, 320
miniaceum, 320
morbificans, 320
naphthalani, 320
neptunium
var. halophilicum, 320
var. marinotypicum, 320
var. marinovirosum, 320
var. okeanokoides, 320
nicotianae, 320
nimipressuralis, 320
orchitidis, 320
papaveris, 320
plymouthensis, 321
pyrosepticum, 321
radiatum, 321
rhodomelae, 321
rubidum, 321
rutilescens, 321
rutilis, 321
sacchari, 321
salicis, 321
sauromali, 321
synxanthum, 321
typhiflavum, 321
violaceum
subsp. anitritum, 321
var. manilae, 321
subsp. mesophilum, 321
subsp. purpureum, 321
subsp. violaceum, 321
violarium, 321
vitivorum, 321
Chromopseudomonas hycinthi, 322
Chroostipes linearis, 322
Citrobacter
freundii
var. intermedium, 322
var. parafreundii, 322
glycologenes, 322
Cladothriceae, 322
Cladothrix
placoides, 322
polychromogene, 322
simplex, 322
Cladotricee, 322
Cladotricheae, 322
Clathrochloris hypolimnica, 322
Clitridium, 322
Cloaca
alba, 322
liquefaciens, 322
Clostridium
acetobutylicum
var. muelleri, 323
var. saccharoaceto-perbutylicum, 323
var. toanum, 323
albuminolyticum, 323
alvei, 323
amaracrylum, 323
behrensii, 323
butanologenes, 323
var. intermedium, 323
butanologenum, 323
butylo-butyricum, 323
butylpropylicum, 323
butyricum
var. amylobacter, 323
var. beijerinckii, 323
var. immobile, 323
var. lactobutyricum, 323
var. polyfermenticum, 323
var. tyrobutyricum, 323
caproicum
var. strasbourgensis, 324
cellulolyticum, 324
chitinophilum, 324
eruptens, 324
felsineum
var. flavum, 324
var. sikokuanum, 324
var. thermophilum, 324
gastromycosis ovis, 324
ghoni var. fruticosum, 324
grave, 324
gurfelii, 324
larvae, 324
laterosporum, 324

Clostridium (cont.)
macerans, 324
maebashi, 324
malacosomae, 324
mucosus, 324
myxogenes, 324
opertum, 324
oroticum, 325
orthobutylicum, 325
perbutylicum, 325
perfringens
var. anaerogenes, 325
Type A, 325
pulvifaciens, 325
rubrum, 325
saccharo-acetobutylicum-beta, 325
saccharo-acetobutylicum-gamma, 325
saccharoperbutylacetonicum, 325
sporogenes
var. africanum, 325
var. stavangerensis, 325
taeniosporum, 325
thermocellulolyticum, 325
thermocellum
var. ellipsosporus, 326
thermofermentans, 326
thermonigrificans, 326
thermophilum, 326
toanum, 326
tonkinensis, 326
welchii, 326
Coccobacillus
equule, 326
insectorum
var. malacosomae, 326
Coccobacterium
aquae, 326
nidamentale rubrum, 326
rubrum, 326
tuberculosum, 326
Coccogenae, 326
Coccogene, 326
Coccus
acido-proteolyticus, 326
casei II, 326
banani, 326
Colmistreptothrix caviae, 327
Comamonas terrigena, 130
Corynebacterium, 119
abortus, 327
acetophilum, 327
acnes, 120, 273, 275, 279
anaerobium, 120, 273, 274, 278
Corynebacterium (cont.)
granulosum, 120, 273, 274, 278
heptodystrophicans, 120
hydrocarboclastus, 327
ilicis, 327
lilium, 327
liquefaciens, 120, 273, 275
luteum, 327
lymphophilum, 120, 273, 275
mediolanum, 327
melassecola, 327
mycetoides, 328
nubilum var. nanum, 328
oleophilus, 328
parvum, 120, 273, 278
pyrogenes, 120, 273, 279
renale, 120
roseum, 328
sanguinis, 328
Corynobacteriaceae, 328
Crenothrix subfusca, 328
Cristispiraceae, 328
Cryptobium symbioticum, 328
Cryptococcus
alvearis, 328
natans, 328
xanthogenicus, 328
Cylindrogloea solitaria, 328
Cytophaga
krzemieniewskae
var. defluens, 328
marinoflava, 329
psychrophila, 329
rubra, 329

Dactylosporangium
aurantiacum, 329
thailandensis, 329
Deazotonitraazobacterium
thermophilum, 329
Deazotonitranitriazobacterium
thermophilum, 329
Dermacentroxenus
deserti pavlov ki, 329
Dermobacterium, 329
Desmanthos thiokrenophila, 329
Desmobacter, 329
Desmobacteries, 330
Desulfotomaculum ruminis, 139
Desulfovibrio
desulfuricans
var. aestuarii, 330
var. azotovorans, 330
salexigens, 330

Desulfovibrio (cont.)
vulgaris, 330
var. oxamicus, 330
Detoniella
dubia, 330
lutea, 330
Dialistereae, 330
Dialisterea
variabilis, 330
variegata, 330
Dicoccia glossophila, 330
Dicrosperillum, 330
Diplobacillus
coagulans, 330
conjunctivitidis, 331
exanthematici, 331
liquefaciens piscium, 331
non-liquefaciens, 331
pieris, 331
ulceris corneae, 331
Diplobacterium
nidamentale, 331
pallidum, 331
Diplococcus
aquatilis, 331
bombycis, 331
catarrhalis, 331
flavus III, 331
gadidarum, 331
galleriae, 331
griseus liquefaciens, 331
hemophilus albus, 331
hemophilus perlucidus, 331
intestinatis aerophilus, 331
lanceolatus var. mucosus, 331
lymantriae, 331
morbillorum var. aerophilus, 331
pemphigi, 332
acuti, 332
pharyngis
communis, 332
flavus III, 332
pieris, 332
recti, 332
sardus miciurati, 332
tabaci, 332
tabaci hollandicus, 332
Diplokokkus lactis liodermos, 332
Diplopneumococcus, 332
Diplostreptococcus
intestinalis, 332
pleuropneumoniae, 332
Diplovibrio, 332
Discomices, 332
Eberthieae, 332
Eberthella
gallinarum var. duisburg, 333
ranicida, 333
Echinospora, 333
Ectothiobacteria, 333
Ectothiochlorobacteriaceae, 333
Ectothioleukaceae, 333
Ectothiorhodaceae, 333
Ectothiorhodospira mobile, 333
Eggerthella
distasonis, 333
exigua, 333
incommunis, 333
thetaiotaomicron, 333
uncata, 333
uniformis, 333
variabilis, 333
vulgata, 333
Eiterbacterium, 334
Eitercoccus, 334
Elytrosporangium brasiliense, 334
Empedobacter
arundineti, 334
esteroaromaticum
var. viscosa, 334
pectinovorum, 334
radicum, 334
var. ruwenzori, 334
viride, 334
Encapsulata, 334
Encapsulatea, 334
Encapsulateae, 334
Encapsulatus
ciprinicidus, 334
inguinalis, 334
rhinoscleromatis, 334
Endobacterium, 334
Endococcus, 334
muriformis, 335
Endosoma palleum, 335
Endosporus
brevis, 335
circulans, 335
humi, 335
multiplex, 335
otricolare, 335
pravus, 335
utriculus, 335
Endo-streptokokkus, 335
Endothiobacteria, 335
Endothioleukaceae, 335
Endothiorhodaceae, 335

Enterobacter
aerogenes, 335
liquefaciens, 335
Enterococcus
citreus, 335
faecalis, 335
var. liquefaciens, 335
var. zymogenes, 335
faecium, 336
var. durans, 336
Entosphaeroides amplus, 336
Eoastrion simplex 336
Eosphaera tyleri, 336
Epicystopsis synplanctica, 336
Erwineae, 336
Erwinia
oleraceae, 336
proteamaculans, 336
rubrifaciens, 336
sinocalami, 336
Erysipelcoccus, 337
Erythrobacillus
mycoidesroseus, 337
rubricus, 337
rufus, 337
fuchsinus, 337
Erythrobacterium, 337
Eschericia
asiatica var. II, 337
coli, 295
var. aurescens, 337
var. coliforme, 337
var. immobilis subvar. typica, 337
var. neapolitana, 337
flava, 337
freundii var. antibiotica, 337
icteroides, 337
liceagi, 337
mustelicida, 337
Escherichinae, 337
Estreptococcus, 337
Euactinomyces, 337
Eubacilleae, 338
Eubacillus multisporus, 338
Eubactereae, 338
Eubacteria, 338
Eubacteriae, 338
Eubacterieae, 338
Eubacterium
limosum, 338
oroticum, 338
rettgeri, 338
Euclostridium, 338
Eugallionella, 338
Eu-pacinia, 338
Eusarcina, 338
Euspirillum, 338
Eustreptococcus, 338
Euvibrionieae, 338

Fenobacter, 338
Ferribacteriaceae, 338
Ferribacteriales, 338
Ferritrichaceae, 338
Fixococcus, 339
Fixosarcina, 339
Fixostreptococcus, 339
Flavescentes, 339
Flavobacterium
androstenedionicum, 339
minutum, 339
odoratum, 339
pectinovorum, 339
serpens, 339
Flexibacter
litorale, 339
marinum, 339
rubrum, 339
Flexilis, 339
Flexus, 339
Fluorescens, 339
Fluoromonas, 339
Frankia
alni, 339
subtilis, 339
Frankiella
alni, 340
elaeagni, 340
Fusibacillus fusiformis, 340
Fusiformis
hemolyticus, 340
hodgkini, 340
nucleatus var. ochraceus, 340
Fusocillus pedipedis, 340

Gaffkya
anaerobia, 340
homari, 159, 161
mendozae, 340
pheretima, 340
tetragena, 161
Gallionella
filamenta, 341
pediculata, 341
planetonica, 341
ramosa, 341
tenuicaulis, 341

Gastrococcus, 341
Geodermatophilus
obscurus, 341
subsp. amarosae, 341
subsp. dictyosporus, 341
subsp. utahensis, 341β
Gigantomonas
capitata, 341
cucullata, 341
utermohl, 341
Gluconoacetobacter
2-ketogluconicus, 341
Gluconobacter
capsulatus, 341
cerinus var. rosensis, 41
dioxyacetonicus, 341
2-ketogluconicus, 342
nonoxygluconicus, 342
opacus, 342
Grahamella
alactogae, 342
arvalis, 342
bovis, 342
criceti domestici, 342
muris musculi iberica, 342
Granulobakter, 342
Gunflintia
grandis, 342
minuta, 342

Haemophilus, 342
paraphrophilus, 342
septicaemiae, 342
Hafnia, 342
Halococcus, 342
acetoinfaciens, 343
agglomegatus, 343
colpogenes, 343
cryophilus, 343
denitrificans, 343
halodenitrificans, 343
morrhuae, 343
nondenitrificans, 343
Haplobacteriacei, 343
Haplobakterien, 343
Helicobacterium kiebsii, 343
Hemophilus hemolyticus, 343
Herpetosiphon aurantiacus, 343
Holocyclomorpha, 343
Huronicospora
macroreticulata, 344
microreticulata, 344
Hyalobotrys hypolimnicus, 344
Hyalococcus beigelii, 344
Hyalosoris lamprocystoides, 344
Hydrogenomonadeae, 344
Hydrogenomonas, 375
eutropha, 344
thermophilus, 344
Hydrogenthiobacteria, 344
Hypheothrix dubia, 344
Hyphomicrobium
indicum, 295, 297-8, 304-5
indium, 344
neptunium, 295-6, 298, 304-5
vulgare, 295-6, 298, 304, 305
Hypnococcus, 344

Indolococcus, 344
Inflabilis
filiformis, 344
lentimorbus, 344
mangenoti
var. nonproteolytic, 344
popilleae, 344
rectus var. conglubatum, 345
Intrasporangium calvum, 345
Itersonia ferruginea, 345

Kakabekia umbellata, 345
Karphokokkus, 345
Kitasatoa
diplospora, 345
kauaiensis, 345
nagasakiensis, 345
purpurea, 345
Klebsiella
aerogenes var. edwardsii, 345
anceps, 346
edwardsii var. edwardsii, 346
encephalomyelitis, 346
fruehwaldii, 346
granulomatis, 346
passeti, 346
paulum fermentans, 346
pneumoniae var. atlantae, 346
Klebsielleae, 346
Klebsiellee, 346
Kochella
colloides, 346
melochlora, 346
minutissima, 346
pseudojanthina, 346
weigmanni, 346
Kokkothrix, 346
Kokkus catarrhalis, 346
Krassilnikoviaceae, 346
Kurthia meotida, 346
Kuznezovia polymorpha, 347

Lachnospora, 347
Lactobacillus
acidophilus-odontolyticus, 347
batatas, 347
bifermentans, 347
bifidus var. ureolyticus, 347
brassicae, 347
buchneri var. aerobicus, 347
constellatus, 347
densus, 347
fermentum, 347
fructosus, 347
japonicus, 347
jugurt, 347
lactis
var. galactosus, 347
var. inulinus, 347
pastorianus var. quinicus, 347
rigidus apis, 347
thermobulgaricus, 348
thermobruckii, 348
Lactobacterium
acidi, 348
bifidum, 348
delbruckii subsp. leichmannii, 348
helveticum subsp. acidophilum, 348
orientale var. mazun, 348
pentoaceticum, 348
Leucothrix mucor, 281
Leuconostoc
citrovorum, 283
citrovorus, 283, 284, 285
cremoris, 283
mesenteroides, 285, 289
dextranicum, 285

Micrococcaceae, 183
Micrococcus morrhuae, 186
Moraxella
lacunata, 263
liquefaciens, 263
nonliquefaciens, 263
Mycobacterium
balnei, 259
marianum, 257-260
scrofulaceum, 257, 258, 259
tuberculosis, 254

Nocardia, 291
dentocariosus, 292
rangoonensis, 472
rosea, 474

Odontomyces viscosus, 291, 292

Pasteurella
haemolytica ureae, 157
multocida, 157
pestis, 157
pseudotuberculosis, 157
tularensis, 157
Pediococcus
cerevisiae, 285
homari, 159, 162
Phytomyxa leguminosarum, 123
Propionibacterium, 268
Pseudomonas, 127
aeruginosa, 134
atlantica, 134
piscicida, 134

Retinaculum-apertum, 145
Rhizobacterium, 124
Rhizobium leguminosarum, 123
Rhizomonas, 124
Rhodococcus
capsulatus, 155
minor, 155
Rhodomicrobium vannielii, 305
Rhodopseudomonas, 153
capsulata, 155
capsulatus, 155
minor, 155
palustris, 153
vandum, 153
spheroides, 155
Rothia, 268
dentocarios, 291

Salmonella, 134
Schinzia, 124
Staphylococcus aureus, 183
Streptococcus
citrovorus, 283, 284, 285, 289
paracitrovorus, 285, 288
Streptomyces
actuosus, 397, 398
albidoflavus, 397, 398
albidus, 399, 400
alboviridis, 401, 402
albus, 401, 402, 403, 472
almquisti, 403
arenae, 403, 405
aurantiacus, 404
bottropensis, 410, 411
capuensis, 410, 413
carnosus, 412, 413
cavourensis, 414, 415
cellulosae, 414, 415

Streptomyces (cont.)
cinnabarinus, 416, 417
citreus, 416, 417
corchorusii, 420, 422
craterifer, 421, 422
erythraeus, 444
feofaciens, 425, 468
fimicarius, 425
flaveolus, 428
flavidovirens, 429, 430
flavogriseus, 429, 430
flocculus, 431, 432
fumanus, 431, 432
gougeroti, 432, 433
griseoloalbus, 436
griseoflavus, 433, 435
griseolavendus, 434, 435
griseorubiginosus, 438
heimi, 438
intermedius, 440, 441
ipomoea, 441, 442
karmatakensis, 442, 443
kishiwadensis, 444, 446
krainskii, 444, 446
lavendulae subsp. grasseus, 434
lincolnensis, 445, 446
longissimus, 447
lucensis, 447, 449
luteofluorescens, 448, 449
lydicus, 448, 451
mauvecolor, 141
melanosporeus, 452, 454
melanosporofaciens, 452
melanosporus, 454
microflavus, 454, 456
misionensis, 455, 456
nashvillensis, 455, 456
naboritoensis, 457, 459
olivochromogenes, 458, 459
olivoverticillatus, 460, 461
ornatus, 460, 461, 463
paucisporogenes, 462, 463
plicatus, 462, 465
polychromogenus, 464, 465, 467
praecox, 466, 467
pristinaespiralis, 466, 469
psammoticus, 425, 468, 471
purpurascens, 470, 471, 477
prunicolor, 469
rangoon, 472, 473
roseochromogenus, 474
roseoviolaceus, 477
rubrireticuli, 477
sampsonii, 478, 480
saraceticus, 480
setonii, 481
sparsogenes, 481, 482
termitum, 482, 483
thermotolerans, 483, 484
thermovulgaris, 484, 485
tubercidicus, 485, 487
umbrinus, 486
umbrosus, 486
vastus, 490, 492
vendargensis, 490, 492
venezuelae, 491, 492
verne, 492, 493
vinaceus, 492, 493
vinaceus-drappus, 494, 495
violaceus, 497, 498
violaceorectus, 498, 497
violanscens, 141, 144, 145
virido-diastaticus, 500, 503
wistariopsis, 142, 144, 145, 151
Streptotrix
albido-flava, 397
aurantiaca, 401
foeresterii, 401
Streptoverticillium
rubrireticuli, 477, 478

Vibrio, 127, 135
comma, 130
marinus, 130

Yersinia
enterocolitica, 157
pestis, 157
pseudotuberculosis, 157

INTERNATIONAL JOURNAL OF SYSTEMATIC BACTERIOLOGY

CONTENTS

Volume 19

1969

PUBLISHED QUARTERLY

January April July October

FOR THE INTERNATIONAL ASSOCIATION OF MICROBIOLOGICAL SOCIETIES
WITH ASSISTANCE THROUGH SUBVENTIONS BY THE
UNITED NATIONS EDUCATIONAL, SCIENTIFIC AND CULTURAL ORGANIZATION
AND THE
INTERNATIONAL UNION OF BIOLOGICAL SCIENCES

Iowa State University Press
Press Building, Iowa State University
Ames, Iowa 50010, U.S.A.

QR1
I 598

TABLE OF CONTENTS

Vol. 19, No. 1, January 1969

Ewing, W.H.
Arizona hinshawii comb. nov. 1
OCHI, YUICHI
Japanese text of the International Code of Nomenclature of Bacteria. 3
ZVIRBULIS, ELZA and H.D. HATT
Status of names of bacterial taxa not evaluated in Index Bergeyana (1966). Addendum II. 57
Erratum. 117

Vol. 19, No. 2, April 1969

PRÉVOT, A.R.
À-propos de la classification des Corynebacteria anaérobies. 119
EDITORIAL BOARD, BERGEY'S MANUAL TRUST
Request for an Opinion from the Judicial Commission of the International Committee on Nomenclature of Bacteria to conserve the generic name Rhizobium Frank 1889. 123
LEIFSON, EINAR and MANLEY MANDEL
Motile marine bacteria II. DNA base composition 127
CAMPBELL, L. LEON and J.R. POSTGATE
Revision of the holotype strain of Desulfotomaculum ruminis (Coleman) Campbell and Postgate. 139
TRESNER, H.D., JEAN A. HAYES and E.J. BACKUS
Streptomyces wistariopsis sp. nov. A new violet spored species. 141
PFENNIG, NORBERT and HANS G. TRÜPER
Proposal to declare Rhodopseudomonas palustris and Chloropseudomonas ethylica as nomina conservanda. 153
TRÜPER, HANS G. AND NORBERT PFENNIG
Proposal to declare Rhodopseudomonas spheroides as nomen conservandum. 155
MOLLARET, H.H.
Proposed activities of the Subcommittee on Pasteurella and related organisms. 157
EVANS, JAMES B. and L.M. SCHULTES
DNA base composition and physiological characteristics of the genus Aerococcus. 159

HENRIKSEN, S.D.
Designation of the type strain of Bacteroides corrodens Eiken 1958. 165
GILARDI, GERALD L. and SIMON HIRSCHL
Morphological and biochemical characterization of Alcaligenes odorans var. viridans. 167
STARR, MORTIMER P. and HELEN HEISE
Regarding nomenclatural types (nomenifers): A proposal for amending Principle 11 and Rule 9 of the International Code of Nomenclature of Bacteria. 173
JEFFRIES, LEONARD
Menaquinones in the classification of Micrococcaceae, with observations on the application of lysozyme and novobiocin sensitivity tests. 183
SCHUBERT, RALPH and H. SEELIGER
Draft of German-text of the International Code of Nomenclature of Bacteria. 189
NEW BOOKS SIGNIFICANT IN SYSTEMATIC BACTERIOLOGY. REVIEWS OF: 249
Allgemeine Mikrobiologie, by Ulrich Schneeweiss and Eva-Marie Fabricus.
Spezielle Mikrobiologie, by Ulrich Schneeweiss and Eva-Marie Fabricus
Virology Monographs, by R.N. Hull and D.A.J. Tyrell.
A dictionary of Microbial Taxonomic Usage, by S.T. Cowan.
Current Topics in Microbiology and Immuology, Volume 42. Insect Viruses, by Karl Maramorosch.
Viruses of Vertebrates, 2nd ed., by Sir Christopher Andrewes and H.C. Pereira.
Bacteriology Illustrated, 2nd ed., by R.R. Gillies and T.C. Dodds.
Acetic Acid Bacteria: Classification and Biochemical Activities, by T. Asai.

Vol. 19, No. 3, July 1969

WAYNE, LAWRENCE G. and ERWIN F. LESSEL
On the synonymy of Mycobacterium marianum Penso 1952 and Mycobacterium scrofulaceum Prissick and Masson 1956 and the resolution of a nomenclatural problem. 257
HENRIKSEN, S.D.
Proposal of a neotype strain for Moraxella lacunata. 263

PINE, LEO and LUCILLE K. GEORG
Reclassification of Actinomyces propionicus. . . . 267
REID, J. D. and MARTHA A. JOYA
A study of the morphologic and biochemical characteristics of certain anaerobic corynebacteria. 273
BROCK, THOMAS D.
The neotype of Leucothrix mucor Oersted 1844 (emend. mut. char. Harold and Stanier 1955). . . 281
GARVIE, ELLEN I.
Request for an Opinion that the name Leuconostoc citrovorum be rejected and the name Leuconostoc cremoris be conserved. 283
GEORG, LUCILLE K., LEO PINE and MARY ANN GERENCSER
Actinomyces viscosus, comb. nov., a catalase positive, facultative member of the genus Actinomyces. 291
JOHNSON, ROY M. and WILLIAM P. WEISROCK
Hyphomicrobium indicum sp. nov. (Hyphomicrobiaceae Douglas). 295
ZVIRBULIS, ELZA and H. D. HATT
Status of names of bacterial taxa not evaluated in Index Bergeyana (1966). Addendum III. 309
ERRATA. 371

Vol. 19, No. 4, October 1969

DAVIS, DIANA H., MICHAEL DOUDOROFF, ROGER T. STANIER and MANLEY MANDEL
Proposal to reject the genus Hydrogenomonas: Taxonomic implications. 375
SHIRLING, ELWOOD B. and DAVID GOTTLIEB
Cooperative description of type cultures of Streptomyces. IV. Species descriptions from the second, third and fourth studies. 391
INDICES. 513

. 267
a. 273
281
283
. 291
. 295
309
. 371
. 375
. 391
513